

Think Green!

ENVIRONMENTAL

CONTRACTOR OF THE PARTY OF THE

WASTE MANAGEMENT GOALS FOR SUSTAINABLE GROWTH

By 2020 WW will:

Help power over two million homes with the waste we collect.

Wanage more than 20 million tons of recyclables each year.


Provide over 25,000 acres of wildlife habitat at our landfills.

Make investments
to reduce our
fleet's emissions
by 15 percent and
increase its efficiency
by 15 percent.

Waste Management is the leading provider of comprehensive waste and environmental services across North America and for decades has pioneered environmentally smart ways to manage the 4.5 pounds of garbage that each of us produces every day. That's how we have become North America's largest recycler and a leader in waste-based energy technologies. We're a company that protects and enhances the environment through what we do, and we have made it a very successful business.

We announced an environmental initiative that will serve as a platform for sustainable growth between now and 2020 to leverage what we do today and do it better and more efficiently.

These actions will further position Waste Management as the industry leader in waste and environmental services, reduce our overall impact on the environment and differentiate us from our competitors. Because they take advantage of our existing expertise to generate organic growth, these actions will certainly be good for our shareholders, but they will also be good for our employees, our communities, our customers and the environment.





MEDIA INFORMATION

lynn Brown [7][3] 394-5093 lynnbrown@wm.com

CORPORATE OFFICE

Waste Management, Inc 100] Fannin, Suite 4000 Houston, Texas 77002 [713] 512-6200 www.wm.com





We will:

Increase our waste-based energy production.

Garbage is a renewable energy source. Today we use it to create enough energy to power the equivalent of 1 million homes each year. By 2020 we expect to double that output, producing enough energy for the equivalent of more than 2 million homes. We've been in the renewable, waste-based energy business for decades, but in the last decade there has been little growth in the waste-to-energy business. We now see an emerging business opportunity from increased interest in alternative energy sources, including both landfill gas to energy and waste-to-energy combustors. This will involve expanding our partnerships with local governments to develop new waste-to-energy plants and landfill gas projects on our landfills and other publicly and privately owned landfills.

increase the volume of recyclable materials processed.

Today we manage 8 million tons of recyclables per year and expect to triple the amount of recyclable materials we process by 2020. As the largest recycler in North America, we are committed to growing recycling. The efficiency of the single-stream process can improve local recycling programs by increasing capacity, resulting in an average recovery of up to 30 percent more recyclable material while maintaining material quality equal to if not better than traditional recycling processes. We want Waste Management to be the first company a city considers when it decides that it wants to increase its recycling rates; and to be first in our customers' minds, we have to be first in the use of technology. We also plan to continue investing in recycling commodities that we have not recycled before and for which we see the potential of higher returns.

Invest in cleaner technologies.

We expect to direct capital spending of up to \$500 million per year over a 10-year period to increase the fuel efficiency of our fleet by 15 percent and reduce our emissions by 15 percent by 2020. We also expect to invest in technologies to enhance our waste business. This capital spending will be done while maintaining total capital spend of approximately 10 percent of revenue and accomplishing our primary financial objectives, which include earnings growth, margin expansion and higher returns on invested capital. We are working with different manufacturers to make our fleet more efficient; however, today there are no readily available technologies to make dramatic improvements. Through this expenditure for up to 2,000 trucks per year, we are providing an incentive to our manufacturers to deliver more efficient equipment. We are committed to leading the call for cleaner, more efficient heavy-duty trucks. We hope this incentive will be a catalyst for a breakthrough technology and we ask that our manufacturers partner with us to make this goal a reality. We will be looking for others in the industry to join us in leveraging our buying power and demanding innovation in fuel conservation and emissions reduction for solid waste vehicles.

WM is also committed to continuing its capital investment in the green technologies we've pursued for many years—like recycling, waste to energy and landfill gas to energy—as well as investing in future technologies for exploiting and managing waste as renewable energy, like landfill gas to diesel and liquid natural gas. In addition, we are paying attention to other emerging technologies, like the gastrication of waste to judge their promise for commercialization and economic feasibility. We are prepared to invest in new opportunities for managing waste so that we increase earnings, grow margins and continue returning strong free cash flow to our investors, while at the same time enhancing the environment.

Preserve and restore more wildlife habitat across North America.

By 2020, we plan to increase by more than four times the number of Waste Management facilities—from 24 to 100—certified by the Wildlife Habitat Council, and increase the number of acres set aside for conservation and wildlife habitat from 17,000 acres today to approximately 25,000. This is invaluable to the communities we serve and the environment in which we operate And this is in addition to the recreational facilities we make available to communities at many of our sites in the form of ball fields, hiking trails, golf courses and the like. We want to continue to work with our communities to make the best beneficial use of our landfill space.

Reporting on our progress.

We will report periodically on our progress toward these goals.



Waste Management Landfill Gas Beneficial Use Projects April 16, 2008

Type of Project	Total	Owned by WM
Power Plants	80	42
Megawatts Equivalent No. of Households Equivalent Tons of Coal per year	401 331,000 1,600,000	219
Medium BTU Fuel	14	7
Natural Gas Production	7	
Liquid Waste Disposal	œ	
Total Heating Fuel Projects	29	
Equivalent No. of MW	96	
Equivalent No. of Households Equivalent Tons of Coal per year	77,000 380,000	
Total Projects	109	\$0
Equivalent No. of MW Equivalent No. of Households Equivalent Tons of Coal per year	496 408,000 1,980,000	

Site	Group	State	Bus	Landfill	Year Started	Droit Type	Facility	T	Annual	Electric Capacity	Average Net Generation	Regional Household	Equivalent	Equivalent
	6		Unit	Status	or Acquired	i i ojeci i ype	Owner	130 000	(mmbtu)	(or Equivalent) (MW)	(or Equivalent) (MWH/Year)	Consumption (KWH/Year)	Households	per year
Chicopee	Э	MA	0444	A	2004	Power	Ameresco	Chicopee Muni.	362,000	3.4	26,366	7.142	3.692	13.732
Palmetto	S	SC	2106	A	2003	Power	Ameresco	I I I I I I I I I I I I I I I I I I I	1 097,648	10.4	79 945	13/763	5809	41 638
HOD	CSMG	,-		ဂ	2003	Power	Antioch HS	Antioch HS	70,000	0.7	5,098	9,206	554	2,655
Covel Gardens	S	X	2177	Α	2005	Power	EDI	CP&L		9,6	73,500	14,937	4.921	38,281
Elk River	s	M	1706	A	2002	Power	ERMU	ERMU		3,2	24,500	10,930	2.242	12,760
Guadalupe	8	CA	1543	Þ	1984	Power	Fortistar			2.5	19,141	5,948	3.218	9,969
aunton	m	MA	2156	Þ	2001	Power	Fortistar			1.6	12,250	7,142	1,715	6,380
Cuyahoga	Z	오	0216	Þ	1996	Power	Fortistar	PJM		1.6	12,250	9,206	1,331	6,380
Grand Central	m	PA	0204	Þ	2001	Power	Green Knights	Exelon		9.3	71,203	7,799	9,130	37,085
Mountain View	m	PA	2086	Þ	2003	Power	Ingenco	Mrd		1.1	8,299	7.799	1,064	4.322
melia	m	VA	0041	Þ	2001	Power	Ingenco	PJM		2.7	21,011	13,763	1,527	10.943
Charles City County	Е	۷A	0042	A	1997	Power	Ingenco	PJM		2.0	15,458	13.763	1.123	8.051
Grandby	п	MA	0445	Þ	2001	Power	PS			2.9	22,203	7,142	3.109	11.564
City Sand	CSMG	≤	1716	c	1998	Power	Sal			2.4	18,375	9,206	1,996	9,570
Pine Tree Acres	Z	M	1733	Α	1998	Power	LES			5.6	42,875	9,206	4,657	22,331
Peoples	×	≦	1736	Α	1998	Power	NANR			3.2	24,500	9,206	2,661	12,760
White Lake	CSMG	M		С	2001	Power	NANR			1.6	12,250	9,206	1,331	6,380
Jouglas County	ı	Z	2809	Α	2002	Power	OPPD	OPPD		6.4	49,000	10,930	4,483	25,521
GIOWS	1 1	7	2382	A	1988	Power	PECO	PECO	1,300,000	12.4	94,683	7,799	12,140	49,314
dieytown		3 3	2362	A	8661.	Power	PECO	PECO	1,735,744	16.5	126,420	7,799	16,210	65,844
itchburg	п	5	2002	, .	3861	Fower	Penrose	LADWP	1,000,000	9.5	72,833	5,948	12,245	37,934
Richiand Online	e r	3 5	2000	SHEET AND STREET	/681	TOWER	Pine Fee	NEFOOL	250,000	2.4	18,208	7,142	2,549	9,484
nuntryside	≤ 0	= 0	2000	>	1000	Fower	Same Cooper	Santee Cooper	200	5.5	42,109	13,763	3,060	21,932
Sarre	m :	MA ;	1760	> ;	1997	Down	I S Energy	Collied		8.0	61,250	9,206	6,653	31,901
Atascocita	S	,	2158	>	2003	Power	Viridis	Reliant		10.0	78 094	1/1037	1,072	3,988
Baytown	s	Z	1129	A	2003	Power	Viridis	Reliant	***************************************	4.0	30 825	14 937	0,500	15,051
Bluebonnet	CSMG	¥		C	2003	Power	Viridis	Reliant		2.0	15,312	14.937	1.025	7 975
Coastal Plains	ď	! ×	1073	A	2003	Power	Viridis	Reliant		6.8	52,062	14,937	3,485	27.116
Conroe	CSMG	! ×	0173	C	2003	Power	Viridis	Reliant		1.0	7,656	14,937	513	3.988
security	S	×	1017	A	2003	Power	Viridis	Reliant		3.4	26,031	14,937	1.743	13.558
Ceercroit	CSMG	Ž	0318	C	1995	Power	Wabash	Wabash		6.4	49,000	9,206	5.323	25.521
ay County	3	Ź	8220	⊳	2005	Power	Wabash	Wabash		2.4	18,376	9,206	1,996	9.570
-inerty	3	2	222	A	2005	Power	Wabash	Wabash		3.2	24,500	9,206	2,661	12,760
Orajrio View	2 2	į	8150	> 2	2003	Power	Wabash	Wabash		3.2	24,500	9,206	2,661	12,760
win Bridges	≤ 3	z z	0317	נים	100/	Power	Wabash	Wabash		6.4	49,000	9,206	5,323	25,521
Wheeler	CSMG	z	0315	0 :	1007	Down	Wahash	Wabash		5,4	49,000	9,206	5,323	25,521
				Š	1007	1-OVACI	Managil	YVallash		<u>-</u>	50.05	9208	n n	3 100

W. C.A. 2251	Site	Group	State	Bus. Unit	Landfill Status	Year Started or Acquired	Project Type	Facility Owner	End User	Annual Gas Flow (mmbtu)	Electric Capacity (or Equivalent) (MW)	Average Net Generation (or Equivalent) (MWH/Year)	Regional Household Consumption (KWH/Year)	Equivalent Households	Equivalent Tons of Coal per year
W. C.A. 2255 A. 1939 Prover WIRE DORE 8.2 20,781 5946 W. C.A. 2554 A. 2559 A. 2003 Prover WIRE DORE 8.2 20,781 5946 W. C.A. 2559 A. 2004 Prover WIRE S.Cal Edisjon 2.0 22,989 5948 W. C.A. 2559 A. 2004 Prover WIRE S.Cal Edisjon 2.0 25,989 5948 W. C.A. 2559 A. 2004 Prover WIRE S.Cal Edisjon 2.0 25,989 5948 W. C.A. 2559 Prover WIRE S.Cal Edisjon 2.0 25,989 5948 W. C.A. 2559 Prover WIRE S.Cal Edisjon 2.0 25,989 5948 W. C.A. 2559 Prover WIRE S.Cal Edisjon 2.0 25,989 2.5 25,989 Prover WIRE S.Cal Edisjon 2.0 25,989 Prover WIRE S.Cal Edisjon 2.0 25,989 2.5 25,989 Prover WIRE M. C.A. 2559 Prover WIRE America M. C.A. 2559 Prover WIRE Prover WIRE America Prover WIRE Prover WIRE	Wo Pine	S	AR	2181	A	2006	Power	WMRE	North Little Rock		4.8	36,750	14,363	2,559	
W. CA 2002 C 2005 Provint WMRE Social Edition 2.0 2.264 6.948 6.948 6.949 6.	પ્રાamont	W	CA	2554	Α	1989	Power	WMRE	PG&E		8.2	62 781	5,948	10,555	
Internation W. CA. 50160 A. 2004 Phone WMRE Succili Estation 50.0 22,960 59,88 2,981 Int. CSNG. CT. 22,10 A. 2004 Phone WMRE Seminola 2.0 15,512 2,944 2	3radley	₩	CA	2502	C	2003	Power	WMRE	LADWP		5.0	38,281	5,948	6.436	
Marie Canal Cana	∃l Sobrante	W	CA	0166	Þ	2004	Power	WMRE	SoCal Edison		3.0	22,969	5.948	3.862	
CSMG CT 2217 C 1991 Power WIRE Semicle	Simi Valley	W	CA	2510	Α	2004	Power	WMRE	SoCal Edison		2,0	15,312	5,948	2,574	
S FL 2248 A 2006 Pawer WARE Saninche 11,3 96,516 15,250 (CSMG CAS) R 2128 A 2006 Pawer WARE Olgetrope 14,8 96,756 15,250 (SSMG CAS) R 2128 C 1993 Pawer WARE Olgetrope 14,8 96,756 13,250 (13,250 CAS) R 14 2006 Pawer WARE Olgetrope 14,4 49,000 (13,250 CAS) R 14 2006 Pawer WARE Olgetrope 14,4 49,000 (13,250 CAS) R 14 2006 Pawer WARE Olgetrope 14,4 49,000 (13,250 CAS) R 11 2007 CAS Pawer WARE Olgetrope 14,4 49,000 (13,250 CAS) R 11 2007 CAS Pawer WARE Olgetrope 14,4 49,000 (13,250 CAS) R 11 2007 CAS Pawer WARE Olgetrope 14,4 49,000 (13,250 CAS) R 11 2007 CAS Pawer WARE Olgetrope 15,4 4,4 49,000 (13,250 CAS) R 11 2007 CAS Pawer WARE Olgetrope 15,4 4,4 49,000 (13,250 CAS) R 11 2007 CAS Pawer WARE Olgetrope 15,4 4,4 49,000 (13,250 CAS) R 11 2007 CAS Pawer WARE Olgetrope 15,4 4,4 49,000 (13,250 CAS) R 11 2007 CAS Pawer WARE Olgetrope 15,4 4,4 49,000 (13,250 CAS) R 11 2007 CAS Pawer WARE Olgetrope 15,4 4,4 4,5 4,5 4,5 4,5 4,5 4,5 4,5 4,5	New Milford	CSMG	СТ	2217	C	1991	Power	WMRE	WEC		2.0	15,312	7,142	2,144	
Cameria Came	Central	S	FL	2240	Α	1989	Power	WMRE	Seminole		113	86,516	15,250	5,673	
CSMG CA 2123 C 1933 Power WARE Mit-American 1.6 12.250 13.75 13.	Springhill	S	FL	2248	A	2006	Power	WMRE	AL Electric Co-op		4.8	36,750	15.250	2410	
The La 2006 The Control Contro	3	CSMG	GA	2123	С	1993	Power	WMRE	Oglethorpe		1,6	12 250	13,763	890	
Came	Des Moines	TP	A	2066	TP	1994	Power	WMRE	Mid-American		64	49 000	10.930	4 483	
CSMG IL 2257 C 1998 Power WINRE Confied 6.2 47,496 9,206	ake Mills	N	A	0496	Α	2006	Power	WMRE	Dairyland		4.8	36 750	10,930	3.362) ·
M II. 2230 C 1988 Pawer WMRE Confect 3.2 24,549 9,206 M II. 2817 A 2008 Pawer WMRE Confect 3.2 24,500 9,206 CSWG II. 2817 C 1982 Pawer WMRE Confect 6.2 41,250 9,206 M II. 2817 C 1982 Pawer WMRE Confect 6.2 47,493 9,206 M II. 2849 C 1981 Pawer WMRE Confect 2.4 19,375 9,206 M M.I. 10,203 C 1982 Pawer WMRE Confect 2.4 13,43 9,206 B M.I. M.I. 2039 A 2007 Pawer WMRE Constitutes Early 4.6 12,250 9,206 B M.I. M.I. 2039 A 2007 Pawer <th< td=""><td>Greene Valley</td><td>CSMG</td><td>_</td><td>2267</td><td>C</td><td>1996</td><td>Power</td><td>WMRE</td><td>ComEd</td><td></td><td>6.2</td><td>47,469</td><td>9,206</td><td>5.156</td><td></td></th<>	Greene Valley	CSMG	_	2267	C	1996	Power	WMRE	ComEd		6.2	47,469	9,206	5.156	
M	00	×		2030	C	1989	Power	WMRE	ComEd		6.2	47,469	9,206	5,156	
CSMG II. 2319 C. 1982 Power WMRE Comfield II. 21290 9,206 5,156 M II. 23697 C. 1988 Power WMRE Comfield CSMG II. 20696 A 1999 Power WMRE COmed A 19375 9,206 5,156 M II. 2041 C 1998 Power WMRE CAMPION CSMG II. 2041 C 1999 Power WMRE CAMPION CSMG II. 2043 C 1993 Power WMRE CAMPION CSMG II. 2043 C 1993 Power WMRE CAMPION CSMG II. 2043 C 1993 Power WMRE COmmen II. II. 2040 7,142 3,430 3,430 4,440 4,	Five Oaks	Z		2271	Α	2008	Power	WMRE	Ameren		3.2	24,500	9,206	2.661	
CSMG II. 2667 A 1988 Power WMRE Comits 62 47,499 9,205 5,159	Kankakee	М		2319	C	1992	Power	WMRE	ComEd		1.6	12,250	9,206	1331	
M	ake	CSMG		2697	ဂ	1988	Power	WMRE	ComEd		6.2	47,469	9,206	5.156	
M	Milam	М	F	2056	Α	1991	Power	WMRE	Ameren		2.4	18,375	9,206	1,996	- 4
CSMG L 2989 C 1992 Power WIARE Conseilation 1,6 12,250 9,206 1,998 C 1992 Power WIARE Conseilation 1,6 12,250 9,206 1,333 1,334 1,334 1,334 1,335 1,334 1,344 1,344 1,344 1,344 1,344 1,344 1,344 1,344 1,34	Settlers Hill	Z	-	2041	C	1989	Power	WMRE	Geneva		6.2	47,469	9,206	5 156	
CSMG IL	azewell	Z		2899	C	1989	Power	WMRE	Ameren		2.4	18,375	9,206	1,996	
E	Woodland	CSMG	-	2043	C	1992	Power	WMRE	ComEd		1.6	12,250	9,206	1,331	
M M M M M M M M M M	Fitchburg	т	MA	0439	Α	2007	Power	WMRE	Select Energy		3.2	24,500	7,142	3,430	
M.	Venice Park	М	MI	2616	Α	1994	Power	WMRE	Consumers Energy		1.6	12,250	9,206	1,331	
MN MN 1702 A 2008 Power WMRE Glerice 24 18,375 10,930 1,681	durnsville	Ζ	MN	0291	Α	1998	Power	WMRE	Exe)		4.8	36,750	10,930	3,362	
E NH 2159 A 1992 Power WMRE Constellation 9.4 73,500 9,207 3,992 E NY 1174 A 2007 Power WMRE Constellation 4.8 36,750 9,207 3,992 E NY 1174 A 2007 Power WMRE Constellation 4.8 36,750 9,207 3,992 E NY 1174 A 2007 Power WMRE Constellation 4.8 36,750 9,207 3,992 Onl CSMG NY 22403 C 1989 Power WMRE Constellation 1.6 12,250 5,974 6,152 PA 2387 A 1997 Power WMRE Constellation 1.6 12,250 5,974 2,051 E PA 2387 A 1997 Power WMRE Constellation 6.0 45,937 7,799 6,087 S TN 2165 A 1997 Power WMRE Constellation 6.2 47,469 7,799 6,087 S TX 2162 A 2007 Power WMRE TYAL S TX 0399 A 1988 Power WMRE TYAL S TX 1003 P A 2008 Power WMRE Constellation 6.2 47,469 7,799 6,087 S TX 1003 POWER WMRE CONSTELLATION 6.2 47,469 7,799 1,1586 S TX 1003 POWER WMRE TYAL M WI 2286 A 2008 Power WMRE Constellation 6.2 47,469 14,937 3,280 M WI 2286 A 2008 Power WMRE Constellation 6.4 48,000 14,937 3,280 M WI 2742 A 1987 Power WMRE WE Energies 9,3 71,203 9,206 7,734 M WI 2740 A 2006 Power WMRE WE Energies 9,4 71,999 9,206 7,319 M WI 2740 A 2006 Power WMRE WE Energies 9,4 71,999 9,206 7,319	Spruce Ridge	X	MN	1702	Α	2008	Power	WMRE	Glencoe		2.4	18,375	10,930	1,681	
E NY 2277 A 1991 Power W/IRE Constellation 9.6 73,500 5,974 12,303 E NY 1836 A 2007 Power W/IRE Constellation 4.8 36,750 9,207 3,992 omn CS/MG NY 2403 C 1989 Power W/IRE Constellation 1.6 12,250 5,974 2,051 E PA 2387 A 1989 Power W/IRE Constellation 1.6 12,250 5,974 2,051 E PA 2382 C 1989 Power W/IRE Constellation 6.0 45,937 7,799 5,800 S TN 2162 A 1992 Power W/IRE TWA 32 245,693 7,799 6,087 S TN 1039 A 2007 Power W/IRE Luminant > Dell 6,4 49,000 14,937 3,783	lurnkey	m	H	2159	Α	1992	Power	WMRE	NH Electric		9.4	71,969	7,142	10,077	37,484
E NY 1174 A 2007 Power WMRE Constellation 4.8 36,750 9,207 3,962 cont CSMG NY 2403 C 1989 Power WMRE Constellation 4.8 36,750 5,974 6,152 cont CSMG NY 2403 C 1989 Power WMRE Constellation 6.0 45,937 7,799 5,806 E PA 2387 A 1997 Power WMRE Constellation 6.0 45,937 7,799 5,806 E PA 2392 C 1989 Power WMRE Constellation 6.2 47,469 7,799 6,087 S TX 2039 A 1989 Power WMRE Luminantix Dell 6.4 49,000 14,937 3,280 S TX 1003 A 2007 Power WMRE Constellation 6.4 49,000 14	High Acres	m	NY	2277	Α	1991	Power	WMRE	Constellation	HANDLAN TOLING	9.6	73,500	5,974	12 303	
NY 1936 A 2007 Power WMRE Constellation 1.6 15.250 1.520	Chaffee	m	NY	1174	A	2007	Power	WMRE	Constellation		4.8	36,750	9,207	3,992	
Off CSMG NY 2403 C 1899 Power WMRE Constellation 1.6 12.250 5.974 2.051 E PA 2393 C 1987 Power WMRE Constellation 6.0 45.937 7.799 5.890 S TN 2115 A 1987 Power WMRE TVA 3.2 24.500 15.447 15.890 S TN 2115 A 1992 Power WMRE Luminant > Dell 6.2 47.499 15.947 3.280 S TX 2162 A 2007 Power WMRE Luminant > Dell 6.4 49.000 14.937 3.780 S TX 1003 A 2007 Power WMRE Constellation 6.4 49.000 14.937 3.780 S TX 1003 A 2006 Power WMRE Constellation 6.4 49.000 14.937 3.783 2.	Milseat	m	NY	1836	>	2007	Power	WMRE	Constellation		4.8	36,750	5,974	6,152	
E PA 2382/2 A 1997 Power WMRE Constellation 6.0 45.937 7,799 6,80 S TN 2315 A 1982 Power WMRE Select Energy 6.2 47.493 7,799 6,887 S TN 2315 A 1982 Power WMRE LTVA 3.2 24,500 15,447 1,586 S TX 2162 A 2007 Power WMRE Lumilinant's Dell 6.4 49,000 14,937 3,280 S TX 1033 A 1988 Power WMRE Constellation 6.4 49,000 14,937 3,280 S TX 1033 A 2007 Power WMRE Constellation 6.4 49,000 14,937 3,280 M WI 2286 A 1987 Power WMRE Constellation 4.8 39,750 13,763 2,670 M	Monroe-Livingston	CSMG	NY	2403	C	1989	Power	WMRE	Constellation		1.6	12,250	5,974	2,051	
S TN 2392 C 1999 Hower WMRE Select Energy 6.2 47,469 7,799 6,087	Lakeylew	ıπ	ב ב ב	2387	A	1997	Power	WMRE	Constellation		6,0	45,937	7,799	5,890	
S IX 2162 A 2992 Power WMRE Luminant > Dell 6.4 49,000 14,937 3,780	Chosto 4 Bidas	o m	17.	2392	С	1989	Power	WMRE	Select Energy		6.2	47,469	7,799	6,087	
S 1X 2192 A 2007 Power WMRE Luminant S Dell 6.4 49,000 14,937 3,280 TX 0398 A 1988 Power WMRE Luminant S Dell 6.4 49,000 14,937 3,780 3 TX 1003 A 2007 Power WMRE Constellation 6.4 49,000 14,937 3,280 B VA 1306 A 2008 Power WMRE Constellation 6.4 49,000 14,937 3,280 M WI 2286 A 1987 Power WMRE Constellation 4.8 36,750 13,763 2,006 7,734 M WI 2286 A 1987 Power WMRE WE Energies 9.3 71,203 9,206 5,223 M WI 2726 A 2006 Power WMRE WE Energies 6.4 49,000 9,206 5,323 <t< td=""><td>Chestrut Ridge</td><td>o (r</td><td>Į</td><td>2115</td><td>Α</td><td>1992</td><td>Power</td><td>WMRE</td><td>TVA</td><td></td><td>3.2</td><td>24,500</td><td>15,447</td><td>1,586</td><td></td></t<>	Chestrut Ridge	o (r	Į	2115	Α	1992	Power	WMRE	TVA		3.2	24,500	15,447	1,586	
S TX U399 A 1988 Power WMRE TXU 6.2 47,469 14,937 3,76 E VA 1003 A 2007 Power WMRE Constellation 4.8 49,000 14,937 3280 M WI 2286 A 2008 Power WMRE WE Energies 9,3 71,203 9,206 7,734 M WI 2289 A 2002 Power WMRE WPS 8.0 61,250 9,206 7,734 M WI 1704 A 2006 Power WMRE WE Energies 6.4 49,000 9,206 5,323 M WI 2742 A 1987 Power WMRE WE Energies 9,4 71,969 9,206 7,818 M WI 2200 A 1992 Power WMRE WE Energies 9,4 71,969 9,206 7,818 M WI	Austin	· 0	!\	2162	Α	2007	Power	WMRE	Luminant > Dell		6.4	49,000	14,937	3.280	
S IX 1003 A 2007 Power WMRE Constellation 6.4 49,000 14,937 3,280 2,670 2,670 4,8 30,750 13,763 2,670 2,670 2,670 4,8 30,750 13,763 2,670 2,670 2,670 4,8 30,750 13,763 2,670 2,670 2,734 4,8 30,720 3,230 7,734 2,734 4,8 2,002 9,006 7,734 4,000 9,206 5,233 4,000 9,206 7,318 7,319 8,000 9,206 7,319 7,319 8,000 9,206 7,319 7,319 8,000 9,206 7,319 7,319 9,206 7,319 7,319 9,206 7,319 7,319 9,206 7,319 7,319 9,206 7,319 7,319 9,206 7,319 7,319 9,206 7,319 7,319 9,206 7,319 7,319 9,206 7,319 7,319 9,206 7,319 7,319 9,206 7,319 <td>CT VV</td> <td>) (</td> <td> </td> <td>0399</td> <td>></td> <td>1988</td> <td>Power</td> <td>WMRE</td> <td>JXU</td> <td></td> <td>6.2</td> <td>47,469</td> <td>14,937</td> <td>3,178</td> <td></td>	CT VV) (0399	>	1988	Power	WMRE	JXU		6.2	47,469	14,937	3,178	
E. VA 1306 A 2008 Power WMRE Constellation 4.8 39,750 13,763 2,670 M WI 2286 A 1987 Power WMRE WE Energies 9.3 17,203 9,206 6,734 M WI 2289 A 2002 Power WMRE WPS 8.0 61,250 9,206 5,823 M WI 2704 A 2006 Power VMRE WE Energies 6.4 49,000 9,206 7,818 M WI 2742 A 1992 Power WMRE WE Energies 9,4 71,999 9,206 7,818 M WI 2720 A 1992 Power WMRE WE Energies 9,4 71,999 9,206 7,319 S M WI 2280 A 1992 WMRE WE Energies 8,8 67,375 9,206 7,319	OKYIII G	10	×	1003	Þ	2007	Power	WMRE	Constellation		6.4	49,000	14,937	3.280	
M WI Z256 A 1987 Power WMRE WE Energies 9.3 71,203 9,206 7,734 M MI 2702 A 2002 Power WMRE WPS 8.0 61,250 9,206 6,653 M WI 1704 A 2006 Power WMRE WE Energies 6.4 49,000 9,206 5,323 M WI 2742 A 1987 Power WMRE WE Energies 9.4 71,969 9,206 7,818 M WI 2290 A 1987 Power WMRE WE Energies 9.4 71,969 9,206 7,319 S M WI 2290 A 1987 WMRE WE Energies 9.4 71,969 9,206 7,319		 	VA	1306	Þ	2008	Power	WMRE	Constellation		4.8	36,750	13,763	2.670	
M WI 229 A 2002 Power WMRE WPS 8.0 61/250 9,206 M WI 1704 A 2006 Power WMRE WE Energies 6.4 49,000 9,206 M WI 2742 A 1987 Power WMRE WE Energies 9.4 71,969 9,206 M WI 2290 A 1992 Power WMRE WE Energies 9.4 71,969 9,206 M WI 2290 A 1992 Power WMRE WE Energies 8.8 67,375 9,206 M WI 2774 A 2006 Power WMRE WE Energies 8.8 67,375 9,206 M WI 2774 A 2006 Power WMRE WE Energies 8.8 67,375 9,206 M WI 2774 A 2006 Power WMRE WE Energies 8.8 67,375 9,206 M WI 2774 A 2006 Power WMRE WE Energies 8.8 67,375 9,206 M WI 2774 A 2006 Power WMRE WE Energies 8.8 67,375 9,206 M WI 2774 A 2006 Power WMRE WE Energies 8.8 67,375 9,206 M WI 2774 A 2006 Power WMRE WE Energies 8.8 67,375 9,206 M WI 2774 M	Oldrand Ridge		TV.	2286	,	1987	Power	WMRE	WE Energies		9.3	71,203	9,206	7,734	
M WI 1704 A 2006 Power WMRE WE Energies 6.4 49,000 9,205 M WI 2742 A 1987 Power WMRE WE Energies 9.4 17,969 9,206 M WI 2280 A 1992 Power VMRE WE Energies 8.8 67,375 9,206 S M WI 2774 A 2006 WMRE WE Energies 8.8 67,375 9,206	Nio Geview	M	W	2289	A	2002	Power	WMRE	WPS		0.8	61.250	9.206	6 653	
M WI 2742 A 1987 Power WMRE WE Energies 9.4 71,969 9,206 9 M WI 2290 A 1992 Power WMRE WE Energies 8.8 67,375 9,206 9 M WI 2774 A 2006 Power WMRE WE Energies 8.8 67,375 9,206	Deer Tack Park	×	2	1704	>	2006	Power	WMRE	WE Energies	(6.4	49.000	9.206	5 323	
S M WI 2290 A 1992 Power WMRE WEEnergies 8.8 67,375 9,206	Metro	X	×	2742	Α	1987	Power	WMRE	WE Energies		9.4	71 969	9.206	7.818	27 484
M 2074 A 2000 A	Pheasant Run	Z	W	2290	۸	1992	Power	WMRE	WE Energies		8 8	67 375	3008	7310	
	Timberline Trails	≤		2274	Α	2006	Dower	WMRF	Dair is			07,070	9,200	/, J	

Vailey	Monroeville	Southern Alleghenies	Shade	Laurel Highlands	Story Hollow/Pinnacie Ro	Westside	Quall Hollow	Dauphin Meadows	Riverbend	Waters	Olympic View	Southern Alleghenies	Earthmovers	Okeechobee	Valley Trail	Ste Sophie	ELDA	Rumble	Pecan Grove	Autumn Hills	Evergreen	Cuyahoga	American	Eagle Valley	Outer Loop	Atlantic	Woodland Meadows	Pine Bluff	Site
Е	m	 	ılm	П	t) п	×		CSMG	m	z	s	M	m	CSMG	CSMG	S	×	M		_	_	S	m	3	တ	Group
PA	PA	PA	PA	PA	皇	2 4	Z	PA	QR.	M		H			I/W	QUE	오			≦	오	오	오	≤	ΣÝ	٧A	≤	GA	State
0232	0069	0064	0231	0065	2672	2894	1305	0063	1509	1722	0030	0064	0017	0046	2293	0265	2369		2135	2868	2937	0216	1336	2336	2482	0858	2337	1308	Bus. Unit
Α	Þ	A	Þ	Þ	Α	⊳⊳⊳		C	A	۸	c	Þ	Þ	Α	A	Þ	င	C	Α	Α	Þ	Þ	➤	Þ	A	Α	A	A	Landfill Status
2003	2004	2007	2007	2006	2003	2001	1996	1997	1997	2006	1997	1997	1998	1998	1999	2005	1987	2005	2005	2005	1999	1996	2004	1999	1999	2004	1988	2005	Year Started or Acquired
High BTU	High BTU	High BTU	High BTU	High BTU	High BTU	High BTU	Liquid Disposal	Liquid Disposal	Liquid Disposal	Medium BTU	Medium BTU	Medium BTU	Medium BTU	Medium BTU	Medium BTU	Medium BTU	Medium BTU	Medium BTU	Medium BTU	Medium BTU	Medium BTU	Medium BTU	Medium BTU	Project Type					
Magellan	Magellan	Keystone	Keystone	Keystone	DTE Biomass	DTE Biomass	WM	MM		IMW	TWO	OWT	OWT	TWO	MW	MM	MW	WW	Toro	NANR	Horizon	Fortistar	Horizon	Horizon	Horizon	DTE Biomass	Ameresco	Ameresco	Facility Owner
		Dominion Gas	Dominion Gas	Dominion Gas			MW	MM	MW	WM	WM	MM	WM	WM	National	Cascades	Cognis	LaFarge	Dupont	Soy bean plant	Walbridge/Sunoco	Stouffers		OM.	æ	Honeywell	Ford	GoldKist	End User
284.684	220.512	80,000	350,000	432,752	485,000	395,723	70,258	137,082	371,146	130,000	187,387	200,000	397,381	883,976	400,000	550,000	433,000	203,992	329,720	240,240	315,735	250,000	610,712	288,210	363,010	480,000	700,000	250,000	Annual Gas Flow (mmbtu)
(2.7)	(2.1)	(0.8)	(3.3)	(4.1)	(4.6)	(3.8)	(0.7)	(1.3)	(3.5)	(1.2)	(1.8)	(1.9)	(3.8)	(8.4)	(3.8)	(5.2)	(4.1)	(1.9)	(3.1)	(2.3)	(3.0)	(2.4)	(5,8)	- (2.7)·	(3.5)	(4.6)	(6.7)	(2.4)	Electric Capacity (or Equivalent) (MW)
20.734	16.061	5,827	25,492	31,519	35,324	28,822	5,117	9,984	27,032	9,468	13,648	14,567	28,943	64,383	29,133	40,058	31,537	14,857	24,015	17,497	22,996	18,208	44,480	20,991	26,439	34,960	50,983	18,208	Average Net Generation (or Equivalent) (MWH/Year)
7 799	7.799	7,801	7,800	7,799	9,206	9,206	15,447	7,799	7,622	9,206	7,622	7,799	9,206	15,250	9,206	7,142	9,206	10,930	15,447	9,206	9,206	9,206	9,206	9,206	15,447	13,763	9,206	13,763	Regional Household Consumption (KWH/Year)
2 659	2.059	747	3,268	4,041	3,837	3,131	331	1,280	3,547	1,028	1,791	1,868	3,144	4,222	3,165	5,609	3,426	1,359	1,555	1,901	2,498	1,978	4,832	2,280	1,712	2,540	5,538	1,323	Equivalent Households
10 799	8.365	3,035	13,277	16,416	18,398	15,011	2,665	5,200	14,079	4,931	7,108	7,587	15,074	33,533	15,174	20,864	16,425	7,738	12,508	9,113	11,977	9,484	23,167	10,933	13,770	18,208	26,554	9,484	Equivalent Tons of Coal per year

Renewable Energy Active Projects Definitions and Sources

	ס	0	z	Ζ	_	7	<u></u>	-	I	G	П	m	U	C	σ	Þ	Column
	Equivalent Tons of Coal	Equivalent Households	EIA Annual Household kwh	Average (or Equivalent) Net Generation (MWH/Year)	Electric Capacity or (Equivalent)	Annual Gas Flow (mmbtu)	End User	Facility Owner	Project Type	Year Started or Acquired	Landfill Life	Landfill Status	Business Unit	State	Group	Site	Heading
(average of 2004 and 2005)	No. of tons of coal needed to generate the same mwh of electricity as the landfill project: mwh/year * (1 ton / 1.92 mwh) From DOE EIA net generation of electric power generated by coal divided by total coal consumption for electric power.	Equivalent number of houses that could be provided from the average net generation of the project	Average household electricty usage for landfill geographic region, from DOE EIA Regional Energy Profiles for 2001	Electric capacity (or Equivalent) mw \times 8760 hrs/yr \times 92% run rate \times (1 - 5% parasitic load)	For power plants using only LFG as fuel: nameplate capacity of plant For dual-fuel plants, medium-btu, leachate, and high-btu projects: the equivalent power that could be generated by the mmbtu delivered, assuming a heat rate of 12 mmbtu/mwh for a coal plant (23 mmbtu / ton x 1 ton / 1.92 mwh: See note for Column P)	Landfill gas utilized for dual-fuel power plants, medium btu projects, leachate evaporators, and high btu projects. Based on reported or estimated prior delivery, or projected annualized flow for new projects.	Ultimate end user or buyer of energy, medium btu fuel, leachate disposal, or high btu gas.	Owner of on-site or off-site power plant, medium btu compressor and pipeline, leachate evaporator, or high btu plant	Power = LFG is used for power production, either at an on-site power plant or piped to an off-site power plant Medium btu = LFG is delivered to third party as heating fuel Leachate = LFG is used to evaporate leachate at on-site facility High btu = LFG is processed to natural gas quality and delivered to natural gas pipeline	Year the project was placed in service by WM or the year the landfill was acquired by WM with project in place.	Combined permitted and expansion site life, based on 2007 landfill rate workbooks.	A = Active C = Closed I = Inactive 3rd Party = Landfill is not owned by WM, but WM owns the landfill gas rights	Landfill business unit number (WM power plant may also have a separate business number, not shown.)	Common state or province abbreviations	Corp = Corporate (Landfill is not owned by WM, but WM owns the landfill gas rights) CSMG = Closed Site Management Group E = Eastern M = Midwest S = Southern W = Western	Landfill name	Source/Definitions